

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
STEPHEN E. Frazier

Serial No. **09/923,764**

Filing Date: **August 7, 2001**

For: **DEVICE AND ASSOCIATED
METHODS FOR REMOVAL OF
CHLORINE FROM WATER**

Examiner: Stuart Hendrickson

Art Unit: **1754**

FAX RECEIVED

JUN 12 2003

GROUP 1700

#16/EP

6/16/03

AMENDMENT AND RESPONSE TO OFFICE ACTION

Honorable Commissioner of
Patents and Trademarks
Washington, D.C. 20231

Sir:

In response to the Office Action mailed on January 27, 2003, please enter the amendments and remarks set forth below. A petition for two month extension of time is enclosed and includes authorization to charge the fee therefor.

In the Claims

Please substitute the currently amended Claims as set forth below in a complete listing of the pending claims. Struckthrough language indicates a deletion, and underlined language indicates an addition. The amendments include no new matter and are fully supported in the application as filed.

OFFICIAL

**Allen, Dyer, Doppelt,
Milbrath & Gilchrist, P.A.**

INTELLECTUAL PROPERTY ATTORNEYS

255 South Orange Avenue • Suite 1401 • Orlando, FL 32801

Mail to: P. O. Box 3791 • Orlando, FL 32802-3791

tel: 407-841-2330 • fax: 407-841-2343

www.patentamerica.com

hstevez@addmg.com

GROUP 1700
JUN 12 2003
FAX RECEIVED

FACSIMILE COVER SHEET

**TO: USPTO-Technology Center 1700 - Group Art Unit 1754
Examiner: Stuart L. Hendrickson**

CLIENT NAME/NUMBER: 15503.5

TELEPHONE: FAX No: (703)872-9310

FROM: Henry Estevez DATE: June 11, 2003

NUMBER OF PAGES (INCLUDING COVER SHEET): 10

COMMENTS/INSTRUCTIONS:

**Serial No: 09/923,764
Filed: August 7, 2001
Title: Device And Associated Methods For Removal Of Chlorine
From Water**

See Enclosed Amendment And Response To Office Action and Two-Month Extension.

NOTE: The information in this facsimile transmission is intended only for the personal and confidential use of the designated recipient(s) named above. This message may be an attorney-client communication and as such is privileged.

If the reader of this message is not the intended recipient named above, you are notified that you have received this document in error, and any review, dissemination, distribution or copying of this message is strictly prohibited.

If you have received this document in error, please notify this office immediately via telephone, and return the original message to the above address by mail. Thank you.

IF YOU DO NOT RECEIVE ALL OF THE PAGES OR ENCOUNTER DIFFICULTIES IN TRANSMISSION, PLEASE CONTACT THE RECEPTIONIST IMMEDIATELY AT (407) 841-2330